



# HYBRID BIOMETRIC ACCESS CONTROL TERMINAL - FACIAL RECOGNITION, PALM RECOGNITION FINGERPRINT & CARD READER

## FACEPRO5-P



### FEATURES

Facepro5-P is a high-speed biometric access control terminal. It supports facial, fingerprint and palm verification with large capacity and speedy recognition

- Visible Light Facial Recognition
- Distance: 0.3 to 2 meters
- Anti-spoofing algorithm against print attack (laser, color and B/W photos), video attack and 3D mask attack
- Multiple verification methods: Face / Palm/ Fingerprint / Card/ ID + Password
- Built in 125kHz (EM) card reader, Mifare reader optional
- Supplement light with adjustable brightness
- 6,000 face and fingerprint templates capacity
- Includes software for management and reporting

### SPECIFICATIONS

Display	5" touchscreen
Face Capacity	6,000
Palm Capacity	3,000
Fingerprint Capacity	6,000
Card Capacity	10,000 cards
Transactions	200,000
Operating System	Linux
Standard Functions	ADMS, T9 Input, Camera, 9-digit User ID, Access Levels, Groups, Holidays, Anti-passback, Record Query, Tamper Switch Alarm, Multiple Verification Modes
Hardware	Dual Core CPU; 512MB RAM / 8G Flash; 2MP WDR Low Light Camera; Adjustable LED Supplement Lighting
Communication	TCP/IP, WiFi, Wiegand input / output, RS485
Access Control Interface	3rd Party Electric Lock, Door Sensor, Exit Button, Alarm output, Auxiliary Input
Face/Fingerprint Recognition Speed	≤1s
Power Supply	12V 3A
Working Humidity	10%-90%
Working Temperature	-10°C ~ 45°C
Dimensions (W*H*D)	91.93 * 202.93 * 21.5 (mm)